

Note:






1. Material: PA66

Ordering Information:

5011S** 0 * **
1 2 3 4

RoHS COMPLIANT

1. No. of circuits
2. 0: With lock
N: without lock
3. Color:
0=White
7=Blue
4. See the Table on next page.



12	60.0	55.0
11	55.0	50.0
10	50.0	45.0
9	45.0	40.0
8	40.0	35.0
7	35.0	30.0
6	30.0	25.0
5	25.0	20.0
4	20.0	15.0
3	15.0	10.0
2	10.0	5.0
CIRCUITS	DIM.A	DIM.B

E	ES091212			SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>1 PLACE</td><td>± 0.30</td><td>± —</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± —</td><td>± .004</td></tr></table> ANGULAR ±1°		mm	inch	1 PLACE	± 0.30	± —	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± —	± .004	APPROVED:	PART NO.: 5011S*****
	mm	inch																			
1 PLACE	± 0.30	± —																			
2 PLACES	± 0.20	± .012																			
3 PLACES	± 0.10	± .008																			
4 PLACES	± —	± .004																			
D	ES081001			DATE:	TITLE: Housing																
C	ES060118			CHECKED:	DRAWING NO.: 501101S																
B	ES050950			DATE:																	
A	DWG REL			DRAWN:																	
REV.	ECO. NO.	CHG.	APP.		UNITS mm	SCALE 2:1	SIZE A4	SHEET 1/5	REV. E												

1

2

3

4

* See from top side

TYPE	0A	0B	0C	0D	0E	0F	0G	0H	0I	0K	0L	0M	0N
KEY/LOCK 2-way													

0P	0Q	0R	0S	0T	0U	0X	0Z	10	11	48	80	86

TYPE	0A	0B	0C	0D	0E	0F	0G	0H	0I	0K	0L
KEY/LOCK 3-way											

0M	0N	0Q	0W	10	12	13	1A	2N	2P	32

44	53	65	80	81

TYPE	0A	0B	0C	0D	0E	0F	0G	0H	0I
KEY/LOCK 4-way									

0J	0K	0L	0M	0W	01	02	03	04

05	17	19	37	43	63	65	80	81

82	84	86

E	ES091212			SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><thead><tr><th></th><th>mm</th><th>inch</th></tr></thead><tbody><tr><td>1 PLACE</td><td>± 0.30</td><td>± —</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± —</td><td>± .004</td></tr></tbody></table> ANGULAR ±1°		mm	inch	1 PLACE	± 0.30	± —	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± —	± .004	APPROVED:		PART NO.: 5011S*****			
	mm	inch																							
1 PLACE	± 0.30	± —																							
2 PLACES	± 0.20	± .012																							
3 PLACES	± 0.10	± .008																							
4 PLACES	± —	± .004																							
D	ES081001			DATE:		TITLE: Housing																			
C	ES060118			CHECKED:																					
B	ES050950			DATE:		DRAWING NO.: 501101S																			
A	DWG REL			DRAWN:																					
REV.	ECO. NO.	CHG.	APP.	UNITS mm		SCALE 2:1	SIZE A4	SHEET 2/5	REV. E																

1

2

3

4

A

BDE

1

2

3

4

* See from top side

TYPE	0A	0B	0C	0D	0E	0F	0G	01
KEY/LOCK 5-way								
	03	04	05	06	07	08	09	11
	12	13	14	17	18	20	21	22
	23	24	25	26	27	28	29	30
	31	32	33	34	35	36	43	49
	50	51	64	69	73	80	81	82
	83	84	85	86	87	88		

TYPE	0A	0B	0C	0D	0E	01
KEY/LOCK 6-way						
	04	06	14	15	21	30
	50	51	73	80	81	

E	ES091212			SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>1 PLACE</td><td>± 0.30</td><td>± —</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± —</td><td>± .004</td></tr></table>		mm	inch	1 PLACE	± 0.30	± —	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± —	± .004	APPROVED:		PART NO.: 5011S*****	
	mm	inch																					
1 PLACE	± 0.30	± —																					
2 PLACES	± 0.20	± .012																					
3 PLACES	± 0.10	± .008																					
4 PLACES	± —	± .004																					
D	ES081001			DATE:		TITLE: Housing																	
C	ES060118			CHECKED:		DRAWING NO.: 501101S																	
B	ES050950			DATE:																			
A	DWG REL			DRAWN:																			
REV.	ECO. NO.	CHG.	APP.	ANGULAR ±1°			UNITS mm	SCALE 2:1	SIZE A4	SHEET 3/5	REV. E												



	1	2	3	4																																																																								
	* See from top side																																																																											
A	<table><tr><td>TYPE</td><td>0A</td><td>0B</td><td>1B</td><td>0C</td><td>03</td><td>04</td></tr><tr><td>KEY/LOCK 7-way</td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>14</td><td>22</td><td>23</td><td>30</td><td>34</td><td>35</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>41</td><td>48</td><td>59</td><td>76</td><td>80</td><td>81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					TYPE	0A	0B	1B	0C	03	04	KEY/LOCK 7-way								14	22	23	30	34	35									41	48	59	76	80	81																																				
	TYPE	0A	0B	1B	0C	03	04																																																																					
	KEY/LOCK 7-way																																																																											
	14	22	23	30	34	35																																																																						
	41	48	59	76	80	81																																																																						
B	<table><tr><td>TYPE</td><td>0A</td><td>0C</td><td>0D</td><td>08</td><td>10</td></tr><tr><td>KEY/LOCK 8-way</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>30</td><td>44</td><td>49</td><td>57</td><td>58</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>62</td><td>63</td><td>77</td><td>80</td><td>81</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					TYPE	0A	0C	0D	08	10	KEY/LOCK 8-way							30	44	49	57	58								62	63	77	80	81																																									
	TYPE	0A	0C	0D	08	10																																																																						
	KEY/LOCK 8-way																																																																											
	30	44	49	57	58																																																																							
	62	63	77	80	81																																																																							
C	<table><tr><td>TYPE</td><td>0A</td><td>0B</td><td>0C</td><td>0D</td><td>08</td></tr><tr><td>KEY/LOCK 9-way</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>31</td><td>42</td><td>43</td><td>48</td><td>49</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>52</td><td>53</td><td>57</td><td>58</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td>80</td><td>81</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					TYPE	0A	0B	0C	0D	08	KEY/LOCK 9-way							31	42	43	48	49								52	53	57	58									80	81																																
	TYPE	0A	0B	0C	0D	08																																																																						
	KEY/LOCK 9-way																																																																											
	31	42	43	48	49																																																																							
	52	53	57	58																																																																								
	80	81																																																																										
D																																																																												
E	<table><tr><td>E</td><td>ES091212</td><td></td><td></td><td rowspan="5"> SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>1 PLACE</td><td>± 0.30</td><td>± --</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± --</td><td>± .004</td></tr></table> ANGULAR ±1° </td><td>APPROVED:</td><td colspan="4">PART NO.: 5011S*****</td></tr><tr><td>D</td><td>ES081001</td><td></td><td></td><td>DATE:</td><td colspan="4">TITLE: Housing</td></tr><tr><td>C</td><td>ES060118</td><td></td><td></td><td>CHECKED:</td><td colspan="4">DRAWING NO.: 501101S</td></tr><tr><td>B</td><td>ES050950</td><td></td><td></td><td>DATE:</td><td colspan="4"></td></tr><tr><td>A</td><td>DWG REL</td><td></td><td></td><td>DRAWN:</td><td colspan="4"></td></tr><tr><td>REV.</td><td>ECO. NO.</td><td>CHG.</td><td>APP.</td><td></td><td>UNITS mm</td><td>SCALE 2:1</td><td>SIZE A4</td><td>SHEET 4/5</td><td>REV. E</td></tr></table>					E	ES091212			SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>1 PLACE</td><td>± 0.30</td><td>± --</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± --</td><td>± .004</td></tr></table> ANGULAR ±1°		mm	inch	1 PLACE	± 0.30	± --	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± --	± .004	APPROVED:	PART NO.: 5011S*****				D	ES081001			DATE:	TITLE: Housing				C	ES060118			CHECKED:	DRAWING NO.: 501101S				B	ES050950			DATE:					A	DWG REL			DRAWN:					REV.	ECO. NO.	CHG.	APP.		UNITS mm	SCALE 2:1	SIZE A4	SHEET 4/5	REV. E
E	ES091212			SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>inch</td></tr><tr><td>1 PLACE</td><td>± 0.30</td><td>± --</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± --</td><td>± .004</td></tr></table> ANGULAR ±1°		mm	inch	1 PLACE	± 0.30		± --	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± --	± .004	APPROVED:	PART NO.: 5011S*****																																																						
	mm	inch																																																																										
1 PLACE	± 0.30	± --																																																																										
2 PLACES	± 0.20	± .012																																																																										
3 PLACES	± 0.10	± .008																																																																										
4 PLACES	± --	± .004																																																																										
D	ES081001			DATE:	TITLE: Housing																																																																							
C	ES060118			CHECKED:	DRAWING NO.: 501101S																																																																							
B	ES050950			DATE:																																																																								
A	DWG REL			DRAWN:																																																																								
REV.	ECO. NO.	CHG.	APP.		UNITS mm	SCALE 2:1	SIZE A4	SHEET 4/5	REV. E																																																																			
	1	2	3	4																																																																								

* See from top side

TYPE	0A	01	02	30
KEY/LOCK 10-way				
	36	46	50	51
	52	64	70	72
	74	75	76	80

TYPE	0A	0B	0C	01
KEY/LOCK 11-way				
	13	33	55	60
	64	80		

TYPE	27	30	59
KEY/LOCK 12-way			
	65	80	



E	ES091212			SoniTexx® GENERAL TOLERANCES: (UNLESS SPECIFIED) <table><thead><tr><th></th><th>mm</th><th>inch</th></tr></thead><tbody><tr><td>1 PLACE</td><td>± 0.30</td><td>± —</td></tr><tr><td>2 PLACES</td><td>± 0.20</td><td>± .012</td></tr><tr><td>3 PLACES</td><td>± 0.10</td><td>± .008</td></tr><tr><td>4 PLACES</td><td>± —</td><td>± .004</td></tr></tbody></table>		mm	inch	1 PLACE	± 0.30	± —	2 PLACES	± 0.20	± .012	3 PLACES	± 0.10	± .008	4 PLACES	± —	± .004	APPROVED:		PART NO.: 5011S*****			
	mm	inch																							
1 PLACE	± 0.30	± —																							
2 PLACES	± 0.20	± .012																							
3 PLACES	± 0.10	± .008																							
4 PLACES	± —	± .004																							
D	ES081001			DATE:																					
C	ES060118			CHECKED:		TITLE: Housing																			
B	ES050950			DATE:																					
A	DWG REL			DRAWN:		DRAWING NO.: 501101S																			
REV.	ECO. NO.	CHG.	APP.	ANGULAR ±1°			UNITS mm	SCALE 2:1	SIZE A4	SHEET 5/5	REV. E														